

Nashua Fire Rescue

Fire Marshal's Office

177 Lake Street, Nashua NH 03060-4402 NashuaNH.gov Adam Pouliot Fire Marshal (603) 589-3460 Fax (603) 589-3474

2023 Expanded Outdoor Dining Requirements

	Contact the Planning/Zoning Department at Nashua City Hall.
	PoirierK@nashuanh.gov
	Permission from the landlord to use outdoor space for dining. (Private
	Property Only)
	Proof from your insurance company that coverage includes the temporary
	outside dining space.
	Temporary seating/tents cannot be set up in fire lanes.
	Supply a sketch with: Dimension, location of dining, layout to include
	vehicle protection barriers, and canopy size if applicable.
	If dining space is set up in an area designed for vehicle traffic, then
	vehicle protection barriers need to be in place. (8 inch curbing, 55 gallon water containers, Jersey barriers)
	Tents/Canopies over 400 sq. ft. will require a permit and inspection from
_	the Building Department.
	Dining space needs to be delineated with portable stanchions, rope, or
	ribbon.
	Proper lighting is required for outdoor dining areas.
	Tents/Canopies will require a portable fire extinguisher.
	Tents/Canopies will need to meet the flammability rating of NFPA 701.
	A Place of Assembly permit will be required for all areas where alcohol
	is served.
	Contact the Health Department for their requirements.
	The expanded permit will expire Nov 15, 2023 for private property and
	August 25, 2023 for Main Street public right-of-way.
	loor dining permit will be issued without a current, valid indoor Place of
Assemb	ly permit.
Print Nar	ne Signature
· • • •	<i>S</i>
Name of	Business Date
Email Ac	Idress